



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/589,091

06/05/2007

Uwe Schierhorn

06-479

5492

34704 7590 06/10/2010

BACHMAN & LAPOINTE, P.C.
900 CHAPEL STREET
SUITE 1201
NEW HAVEN, CT 06510

EXAMINER

KOAGEL, JONATHAN BRYAN

ART UNIT

PAPER NUMBER

3744

MAIL DATE

DELIVERY MODE

06/10/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/589,091	Applicant(s) SCHIERHORN, UWE	
	Examiner JONATHAN KOAGEL	Art Unit 3744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 March 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/8/10 has been entered.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 14-19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The recitation "modified expansion valve" is unclear in context when given the definition "realization of a fluid connection" as defined in the specification on page 2 line 2. Examiner as best understood interprets this definition to be in fluid communication with a refrigerant line.

The recitation "modified linear compressor" is unclear in context with given the definition "realization of a fluid connection" as defined in the specification on page 2 lines 2-6. This limitation, as best understood, has been interpreted as being in fluid communication with a refrigerant line.

The recitation “without a significant pressure drop” (claim 14 line 11) is unclear in context. It is not clear how much the pressure has to drop to be considered a “significant pressure drop”, since significant is a relative term and there is no specifics disclosed as to the actual drop in pressure. This limitation as best understood, has been interpreted as a drop in pressure still occurs.

The recitation “through flow without a significant pressure change is possible” (claim 19 lines 9-10) is unclear in context. It is not clear how much the pressure has to change to be considered “a significant pressure change”, since significant is a relative term and there is not specifics disclosed as to the actual change in pressure. This limitation is best understood, has been interpreted as a through flow while a change in pressure still occurs.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 14, 15 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueno et al. US Patent No. 6,131,401 and McCarty US Patent No. 4,285,210.

Regarding claim 1, Ueno teaches in fig. 1, a refrigeration installation having at least one refrigeration consumer 10, 20 which includes at least one evaporator 16, 26, having at least one feed line (See annotated figure below) and at least one discharge

Art Unit: 3744

line (See annotated figure below), via which a refrigerant is fed to the at least one refrigeration consumer 10, 20 and discharged from the at least one refrigeration consumer 10, 20, the at least one refrigeration consumer 10, 20 having expansion members 15, 25 wherein, the expansion members 15, 25 being designed as modified expansion valves, and each said refrigeration consumer 10, 20 being assigned a modified linear compressor 14, 24. Ueno fails to explicitly teach the modified expansion valves having a working position which allows flow to pass through the valve without a significant pressure drop.

McCarty teaches in fig. 3, a refrigeration consumer that has a modified expansion valve 27 that has a working position which allows flow to pass through the valve without a significant pressure drop (column 6 lines 59-61). The expansion member 27 is considered to be a modified expansion valve because it is in fluid communication with the refrigeration system. McCarty discloses that a pressure differential bleeds down in the system through the modified expansion valve, and since the compressor is not in this mode of operation, a significant pressure drop does not exist between the inlet and the outlet of the modified expansion valve as flow is passing through the valve.

It would have been obvious to a person of ordinary skill in the art at the time of invention to modify Ueno with the teachings of McCarty to include a modified expansion valve that has a working position which allows a flow to pass through the valve without a significant pressure drop in order to allow a warmer and more uniform temperature refrigerant to be utilized for a defrosting operation. When a more uniform temperature

Art Unit: 3744

refrigerant is discharged to the evaporator, the time necessary for defrost is decreased, lowering the operating costs of the system.

Regarding claim 15, Ueno as modified above teaches the invention as disclosed and Ueno further teaches in fig. 1, wherein the at least one refrigeration consumer 10, 20 has a dedicated closed refrigerant cycle 12, 22, the refrigerant cycle 12, 22 being operatively connected via at least one liquefier 13, 23 to the at least one feed line and the at least one discharge line, the refrigerant cycle 12, 22 in each case having modified expansion valves 15, 25 and modified linear compressors 14, 24, and the evaporator 16, 26 of said at least one refrigeration consumer 10, 20 in each case being arranged higher than the liquefier 13, 23 of the said at least one refrigeration consumer 10, 20 (column 4 lines 1-11, column 5 line 13-column 6 line 57). From a horizontal reference point of view in fig. 1 where a left direction is defined as a lower point and a right direction is defined as a higher point, the evaporator is arranged higher than the liquefier.

Art Unit: 3744




Fig. 1

Regarding claim 19, Ueno as modified above teaches the invention as disclosed and Ueno further teaches in fig. 1, a method for operating a refrigeration installation comprising assigning at least one refrigeration consumer 10, 20 modified expansion valves 15, 25 and modified linear compressors 14, 24. Ueno fails to explicitly teach during a defrosting phase of at least one of the refrigeration consumers moving at least one of the modified expansion valves and at least one of the modified linear compressors of the refrigeration consumers which are to be defrosted into a working position in which through flow without a significant pressure change is possible.

However, McCarty teaches in fig. 3, a refrigeration consumer that during a defrosting phase of a refrigeration consumer 12, the refrigeration consumer moving at least one of a modified expansion valve 27 and at least one of a modified linear compressor 36 of the refrigeration consumer 12 which are to be defrosted into a working position in which through flow without a significant pressure change is possible (column 6 lines 59-61). The expansion member 27 is considered to be a modified expansion valve because it is in fluid communication with the refrigerant system. It moves into a working position during defrost (where refrigerant is bypassed around the expansion valve via valve 37 and at the same time a pressure differential bleeds through the valve 27 which indicates a flow of refrigerant) which allows the pressure of the refrigerant in the system not to have a significant pressure drop because some of the refrigerant is being bypassed around the modified expansion valve. This reduces the overall refrigerant pressure drop of the system. The compressor is considered a modified compressor because it is in fluid communication with the refrigeration system.

Art Unit: 3744

The modified linear compressor moves into a working position (compressor turning off) in which a through flow (through the system) without a significant pressure change is possible. When the compressor is not in operation, there is no significant pressure change within the system as the compressor is not providing a high pressure refrigerant to the system.

It would have been obvious to a person of ordinary skill in the art at the time of invention to modify Ueno with the teachings of McCarty to include a defrosting phase of at least one of the refrigeration consumers moving at least one of the modified expansion valves and at least one of the modified linear compressors of the refrigeration consumers which are to be defrosted into a working position in which through flow without a significant pressure change is possible in order to allow a warmer and more uniform temperature refrigerant to be utilized for a defrosting operation. When a more uniform temperature refrigerant is discharged to the evaporator, the time for defrost is decreased, lowering the operating costs of the system, as the compressor does not have to operate as long during a defrosting period.

Claims 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueno and McCarty as applied to claim 14 above, and further in view of Fixemer US Patent No. 5,752,726.

Regarding claim 16, Ueno as modified above teaches the invention as disclosed and Ueno further teaches in fig. 1, wherein a plurality of refrigeration consumers 10, 20

Art Unit: 3744

are connected to the at least one feed line and the at least one discharge line. Ueno fails to explicitly teach the connection is by means of couplings.

However, Fixemer teaches in fig. 1 a quick-action coupling for a refrigerant line (column 1 lines 4-10) that is particularly useful to establish a fluid-tight connection.

It would have been obvious to a person of ordinary skill in the art at the time of invention to modify the combined teachings of Ueno and McCarty with the teachings of Fixemer to include a coupling in order to insure a proper seal between the feed/discharge lines and the refrigeration consumer, so refrigerant does not leak which would cause the compressor to become damaged from a lack of refrigerant.

Regarding claim 17, Ueno as modified above teaches the invention as disclosed and Fixemer further teaches in fig. 1, wherein said couplings are quick fit couplings (column 1 lines 4-10).

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ueno and McCarty as applied to claim 14 above, and further in view of Sakamoto et al. JP Publication No. 2003-065616.

Regarding claim 18, Ueno as modified above teaches the invention as disclosed but fails to explicitly teach a supercooler as an internal heat exchanger within the refrigeration consumer.

However, Sakamoto teaches in fig. 9, a supercooler (heat exchanger 49) that serves to supercool the refrigerant that flows from the condenser (pg. 8 paragraph 42).

Art Unit: 3744

The use of a supercooler heat exchanger will allow the temperature of the refrigerant being discharged to the evaporator to be lower, allowing the refrigeration consumer to handle a high cooling load.

It would have been obvious to a person of ordinary skill in the art at the time of invention to modify of Ueno with the teachings of Sakamoto to include a supercooler in order to obtain a very low temperature refrigerant for the purposes of supplying the evaporator of the system with this low temperature refrigerant, which allows the evaporator to be used in a cooling space with a high cooling demand. Ueno as modified by Sakamoto fails to explicitly teach more than one supercooler. However, it would have been obvious to a person of ordinary skill in the art at the time of invention to include supercoolers in the at least one refrigeration consumer, since it has been held that mere duplication of essential working parts of a device involve only routine skill in the art. *In re Regis Paper Co. v. Bemis Co.*, 193 USPQ 8. The use of more than one supercooler will allow the refrigerant to obtain a very low temperature, resulting in more efficient cooling in a cooling space, as the refrigeration system will not have to operate as long to meet a cooling demand.

Response to Arguments

Applicant's arguments filed 3/8/10 have been fully considered but they are not persuasive.

In response to the applicant's argument regarding the McCarty reference not showing an expansion valve with a working position in which through flow without

Art Unit: 3744

significant pressure drop is possible, the examiner respectfully disagrees. McCarty discloses that during a defrost operation, some of the refrigerant is bypassed around the modified expansion valve, however, refrigerant is still flowing through the expansion valve as a pressure differential is bleeding down through the modified expansion valve, which indicates a flow of refrigerant through the expansion valve. Furthermore, although the expansion valve lowers the pressure of the refrigerant passing through, it is capable of allowing flow to pass through without a significant pressure drop as significant is a relative term, with no specifics being disclosed as to how much the pressure drops.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JONATHAN KOAGEL whose telephone number is (571)270-7396. The examiner can normally be reached on Monday through Friday 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571)272-4834 or Frantz Jules (571)272-6681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. K./
Examiner, Art Unit 3744
27 May 2010

/Cheryl J. Tyler/
Supervisory Patent Examiner, Art
Unit 3744